



MAGBEAST® HM100T









- 2 speed variable gearbox with reverse.
- 250mm total drill travel.
- Sleek, ergonomic design.
- Maintenance free twin slide rails.
- Fixed safety guard.
- Simple and effective control panel.
- Powerful electromagnetic base.
- Optional 360° swivel base.



CAPABLE OF CUTTING, REAMING, COUNTERBORING AND TAPPING HOLES, THE MAGBEAST® HM100T IS THE PERFECT ALL-AROUND CHOICE FOR A VARIETY OF APPLICATIONS USING SIMPLE AND EFFICIENT ELECTRONIC CONTROLS.

CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM



JEI Solutions







WHY THE MAGBEAST® HM100?


















CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM







WWW.JEIUK.COM

MAGBEAST® HM100T SPECIFICATIONS

Model: HM100T

Spindle: MT3

Weight: 23.5 kg

Max Stroke: 250 mm

Cutter Capacity: 100 mm Ø x 6" depth of cut

Twist Drill Capacity: 19 mm with 3MT Chuck ~ 32 mm with 3MT Twist Drill

Countersink Capacity: 55 mm

Tapping Capacity: M30

Reaming Capacity: 39 mm

Motor: 1800 W

RPM: 2 Variable Speeds (torque control) 60-140 / 200-470

Height min/max: 440 / 700 mm

Length x Width: 345 x 190 mm

Magnetic Base L x W: 212 x 102 mm

Magnet Deadlift: 2050 kg on 1" Plate (20100 N)

Noise Level: < 90dB

Vibration Level: < 2.5 m/s2

Voltage/ Part no: 110 V - DRILL-HM100T / 240 V - DRILL-HM100T/2

Shipping Weight: 28.65 kg

Shipping Dimensions: 571 x 450 x 250 mm

CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM



