

MAGBEAST®

JEI
Solutions
Built for Industry

MAGBEAST® HM100TS

**THE COMPLETE 3MT MODEL,
CAPABLE OF CUTTING, REAMING,
COUNTERBORING AND TAPPING
HOLES WITH SWIVEL BASE.**



- ✓ Heavy duty 1800w motor.
- ✓ 2 speed variable gearbox with reverse.
- ✓ 250mm total drill travel.
- ✓ Sleek, ergonomic design.
- ✓ Maintenance free twin slide rails.
- ✓ Fixed safety guard.
- ✓ Simple and effective control panel.
- ✓ Powerful electromagnetic base.
- ✓ Ideal for drilling holes close together without moving machine.
- ✓ Ideal for special project work.



CAPABLE OF CUTTING, REAMING, COUNTERBORING AND TAPPING HOLES, THE MAGBEAST® HM100TS IS THE PERFECT ALL-AROUND CHOICE FOR A VARIETY OF APPLICATIONS USING SIMPLE AND EFFICIENT ELECTRONIC CONTROLS.

CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM


WWW.JEIUK.COM

MAGBEAST HM100TS

JEI Solutions




WHY THE MAGBEAST® HM100TS?



CALL **01706 229 490** TO BOOK YOUR DEMONSTRATION NOW OR VISIT **WWW.JEIUK.COM**

MAGBEAST®

JEI
Solutions
Built for Industry



MAGBEAST® HM100TS SPECIFICATIONS

Model: HM100TS

Spindle: MT3

Weight: 27 kg

Max Stroke: 250 mm

Cutter Capacity: 100 mm Ø x 6" depth of cut

Twist Drill Capacity: 19 mm with 3MT Chuck ~ 32 mm with 3MT Twist Drill

Countersink Capacity: 55 mm

Tapping Capacity: M30

Reaming Capacity: 39 mm

Motor: 1800 W

RPM: 2 Variable Speeds (torque control) 60-140 / 200-470

Swivel Base: 360 degree swivel base

Height min/max: 480 / 700 mm

Length x Width: 345 x 190 mm

Magnetic Base L x W: 212 x 102 mm

Magnet Deadlift: 2050 kg on 1" Plate (20100 N)

Noise Level: < 90dB

Vibration Level: < 2.5 m/s²

Voltage/ Part no: 110 V - DRILL-HM100TS / 240 V - DRILL-HM100TS/2

Shipping Weight: 32 kg

Shipping Dimensions: 571 x 450 x 250 mm

CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM

WWW.JEIUK.COM

MAGBEAST HM100TS

JEI Solutions

