

MAGBEAST®

JEI
Solutions
Built for Industry

MAGBEAST® HM140T

A DURABLE, HEAVY DUTY 4 MORSE TAPER POWERHOUSE DESIGNED FOR MANY HOLEMAKING APPLICATIONS.



- ✓ Heavy duty 2300 watt, variable speed motor - enables larger cutting capacity.
- ✓ Weighs only 35kg - a one man job to position and operate machine.
- ✓ 140mm cutter capacity - unrivalled weight to cutting capacity ratio.
- ✓ 300mm total drill travel - facility for extra long cutting depth and stroke.
- ✓ Maintenance friendly twin slide rails - no wearing parts and adjustment free operation.
- ✓ Integral forward/reverse operation - Ability to tap pre-drilled holes upto M44.
- ✓ Built in soft start Motor switch - Provides protection to motor when tapping.
- ✓ Complete with robust carrying case with wheels - easy movement to site.



WITH BUILT IN FORWARD/REVERSE AND VARIABLE SPEED, THE HM140T HAS THE ABILITY TO TAP/THREAD PRE-DRILLED HOLES UP TO M44. WEIGHING ONLY 35KGS, THIS MACHINE HAS AN UNRIVALLED WEIGHT TO CAPACITY RATIO FOR A MACHINE OF ITS SIZE AND CAN BE LIFTED INTO POSITION BY ONE OPERATOR.

CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM


WWW.JEIUK.COM

MAGBEAST HM140T

JEI Solutions



WHY THE MAGBEAST® HM140T?



CALL **01706 229 490** TO BOOK YOUR DEMONSTRATION NOW OR VISIT **WWW.JEIUK.COM**

MAGBEAST®

JEI
Solutions
Built for Industry



MAGBEAST® HM140T SPECIFICATIONS

Model: HM140T

Weight: 35kg

Cutter Capacity: 140mm Ø

Twist Drill Capacity: 19 mm with 4MT Chuck ~ 50 mm with 4 MT Twist Drill

Countersink Capacity: 80 mm

Reaming Capacity: 47 mm

Motor: 2300 watts

Height Min/Max: 570 / 850 mm

Length x Width: 440 x 245 mm

RPM: 4 Variable Speeds 30-80/50-120/130-350/210-550

Magnetic Base (L x W): 2120 x 260 mm

Noise Level: < 90dB

Vibration Level: < 2.5 m/s²

Voltage/Part no's: 110 V - DRILL-HM140T/1 ~ 240v V DRILL-HM140T/2

Shipping Weight: 50 kg

Shipping Dimensions: 650 x 500 x 300 mm

CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM

WWW.JEIUK.COM

MAGBEAST HM140T

JEI Solutions

